

# Turning data into actionable intelligence

advanced features in MISP supporting your analysts and tools

@adulau @lglocska



FIRST Cyber Threat Intelligence Webinar



- CIRCL is mandated by the Ministry of Economy and acting as the Luxembourg National CERT for private sector.
- We lead the development of the Open Source MISP TISP which is used by many military or intelligence communities, private companies, financial sector, National CERTs and LEAs globally.
- **CIRCL runs multiple large MISP communities performing active daily threat-intelligence sharing.**

# THE AIM OF THIS PRESENTATION

- What is MISP?
- Our initial scope
- Why is **contextualisation** important?
- What options do we have in MISP?
- How can we **leverage** this in the end?

# WHAT IS MISP?

- Open source "TISP" - A TIP with a strong focus on sharing
- A tool that **collects** information from partners, your analysts, your tools, feeds
- Normalises, correlates, enriches the data
- Allows teams and communities to **collaborate**
- **Feeds** automated protective tools and analyst tools with the output
- A set of tools to manage sharing communities and interconnected MISP servers

- There are many different types of users of an information sharing platform like MISP:
  - ▶ **Malware reversers** willing to share indicators of analysis with respective colleagues.
  - ▶ **Security analysts** searching, validating and using indicators in operational security.
  - ▶ **Intelligence analysts** gathering information about specific adversary groups.
  - ▶ **Law-enforcement** relying on indicators to support or bootstrap their DFIR cases.
  - ▶ **Risk analysis teams** willing to know about the new threats, likelihood and occurrences.
  - ▶ **Fraud analysts** willing to share financial indicators to detect financial frauds.

- **Extract information** during the analysis process
- Store and **correlate** these datapoints
- **Share** the data with partners
- Focus on technical indicators: IP, domain, hostname, hashes, filename, pattern in file/memory/traffic
- Generate protective signatures out of the data: snort, suricata, OpenIOC

- Contextualisation became more and more important as we as a community matured
  - ▶ **Growth and diversification** of our communities
  - ▶ Distinguish between information of interest and raw data
  - ▶ **False-positive** management
  - ▶ TTPs and aggregate information may be prevalent compared to raw data (risk assessment)
  - ▶ **Increased data volumes** leads to a need to be able to prioritise
- These help with filtering your TI based on your **requirements...**
- ...as highlighted by a great talk from Pasquale Stirparo titled *Your Requirements Are Not My Requirements*

- Context added by analysts / tools
- Data that tells a story
- Encoding analyst knowledge to automatically leverage the above



**CONTEXT ADDED BY ANALYSTS / TOOLS**

- An **IP address by itself is barely ever interesting**
- We need to tell the recipient / machine why this is relevant
- All data in MISP has a **bare minimum required context**
- We differentiate between **indicators and supporting data**

# BROADENING THE SCOPE OF WHAT SORT OF CONTEXT WE ARE INTERESTED IN

- **Who** can receive our data? **What** can they do with it?
- **Data accuracy, source reliability**
- **Why** is this data relevant to us?
- **Who** do we think is behind it, **what tools** were used?
- What sort of **motivations** are we dealing with? Who are the **targets**?
- How can we **block/detect/remediate** the attack?
- What sort of **impact** are we dealing with?

# TAGGING AND TAXONOMIES

- Simple labels
- Standardising on vocabularies
- Different organisational/community cultures require different nomenclatures
- Triple tag system - taxonomies
- JSON libraries that can easily be defined without our intervention

<input type="checkbox"/> Tag	Events	Attributes	Tags
<input type="checkbox"/> workflow:state="complete"	11	0	workflow:state="complete" ↩
<input type="checkbox"/> workflow:state="draft"	0	0	workflow:state="draft" ↩
<input type="checkbox"/> workflow:state="incomplete"	55	10	workflow:state="incomplete" ↩
<input type="checkbox"/> workflow:state="ongoing"	0	0	workflow:state="ongoing" ↩

- Taxonomy tags often **non self-explanatory**
  - ▶ Example: universal understanding of tlp:green vs APT 28
- For the latter, a single string was ill-suited
- So we needed something new in addition to taxonomies - **Galaxies**
  - ▶ Community driven **knowledge-base libraries used as tags**
  - ▶ Including descriptions, links, synonyms, meta information, etc.
  - ▶ Goal was to keep it **simple and make it reusable**
  - ▶ Internally it works the exact same way as taxonomies (stick to **JSON**)

🔗 Ransomware galaxy	
Galaxy ID	373
Name	Ransomware
Namespace	misp
Uuid	3f44af2e-1480-4b6b-9aa8-f9bb21341078
Description	Ransomware galaxy based on...
Version	4
Value ↓	<a href="#">Synonyms</a>
.CryptoHasYou.	
777	Sevleg
7ev3n	7ev3n-HONEST

- Standardising on high-level **TTPs** was a solution to a long list of issues
- Adoption was rapid, tools producing ATT&CK data, familiar interface for users
- A much better take on kill-chain phases in general
- Feeds into our **filtering** and **situational awareness** needs extremely well
- Gave rise to other, ATT&CK-like systems tackling other concerns

- **attck4fraud** <sup>1</sup> by Francesco Bigarella from ING
- **Election guidelines** <sup>2</sup> by NIS Cooperation Group
- **AM!TT Misinformation pattern** <sup>3</sup> by the misinfosecproject

---

<sup>1</sup>[https://www.misp-project.org/galaxy.html#\\_attck4fraud](https://www.misp-project.org/galaxy.html#_attck4fraud)

<sup>2</sup>[https://www.misp-project.org/galaxy.html#\\_election\\_guidelines](https://www.misp-project.org/galaxy.html#_election_guidelines)

<sup>3</sup><https://github.com/MISP/misp-galaxy/blob/master/clusters/misinfosec-amitt-misinformation-pattern.json>

# FALSE POSITIVE HANDLING

- Low quality / false positive prone information being shared
- Lead to **alert-fatigue**
- Exclude organisation xy out of the community?
- FPs are often obvious - **can be encoded**
- **Warninglist system**<sup>4</sup> aims to do that
- Lists of well-known indicators which are often false-positives like RFC1918 networks, ...

## LIST OF KNOWN IPV4 PUBLIC DNS RESOLVERS

Id	89
Name	List of known IPv4 public DNS resolvers
Description	Event contains one or more public IPv4 DNS resolvers as attribute with an IDS flag set
Version	20181114
Type	string
Accepted attribute types	ip-src, ip-dst, domain/ip
Enabled	Yes (disable)
Values	
	1.0.0.1
	1.1.1.1
	1.1.1.14

### Warning: Potential false positives

List of known IPv4 public DNS resolvers

Top 1000 website from Alexa

List of known google domains

<sup>4</sup><https://github.com/MISP/misp-warninglists>



**DATA THAT TELLS A STORY**


- Atomic attributes were a great starting point, but lacking in many aspects
- **MISP objects**<sup>5</sup> system
  - ▶ Simple **templating** approach
  - ▶ Use templating to build more complex structures
  - ▶ Decouple it from the core, allow users to **define their own** structures
  - ▶ MISP should understand the data without knowing the templates
  - ▶ Massive caveat: **Building blocks have to be MISP attribute types**
  - ▶ Allow **relationships** to be built between objects

---

<sup>5</sup><https://github.com/MISP/misp-objects>

# SUPPORTING SPECIFIC DATAMODELS

Date	Org	Category	Type	Value	Tags	Galaxies	Comment	Correlate	Related Events
Name: bank-account									
References: 0									
<input type="checkbox"/>	2018-09-28	Other	status-code:	A - Active	is	Add		<input type="checkbox"/>	
<input type="checkbox"/>	2018-09-28	Other	report-code:	STR Suspicious Transaction Report	is	Add		<input type="checkbox"/>	
<input type="checkbox"/>	2018-09-28	Other	personal-account-type:	A - Business	is	Add		<input type="checkbox"/>	
<input type="checkbox"/>	2018-09-28	Financial fraud	swift:	HASEH00H	is	Add		<input checked="" type="checkbox"/>	3849 11320 11584
<input type="checkbox"/>	2018-09-28	Financial fraud	account:	788796894883	is	Add		<input checked="" type="checkbox"/>	
<input type="checkbox"/>	2018-09-28	Other	account-name:	FANY SILU CO. LIMITED	is	Add		<input checked="" type="checkbox"/>	
<input type="checkbox"/>	2018-09-28	Other	currency-code:	USD	is	Add		<input type="checkbox"/>	



- Data shared was **frozen in time**
- All we had was a creation/modification timestamp
- Improved tooling and willingness allowed us to create a **feedback loop**
- Lead to the introduction of the **Sighting system**
- Signal the fact of an indicator sighting...
- ...as well as **when** and **where** it was sighted
- Vital component for IoC **lifecycle management**
- External **SightingDB** and standard - thanks to Sebastien Tricaud from Devo inc.

# CONTINUOUS FEEDBACK LOOP (2)

Events			
<input checked="" type="checkbox"/>	No		
<input checked="" type="checkbox"/>	No	Inherit	
<input checked="" type="checkbox"/>	No	Inherit	

**Sightings**  
CIRCL: 2 (2017-03-19 16:17:59)

(2/0/0)

(0/0/0)

Tags	
Date	2016-02-24
Threat Level	High
Analysis	Initial
Distribution	Connected communities
	freetext test
Sighting Details	<b>No</b>
MISP: 2	4 (2) - restricted to own organisation only.
CIRCL: 2	
	Discussion

# CONTINUOUS FEEDBACK LOOP (3)

- Monitor uptimes of infrastructure
- Make decisions on whether to action on an IoC



# A BRIEF HISTORY OF TIME - TIMELINES

- Data providers including the timing of the data has allowed us to include it directly in MISP
- **First\_seen** and **last\_seen** data points
- Along with a complete integration with the **UI**
- Enables the **visualisation** and **adjustment** of indicators timeframes

## Galaxies

Enterprise Attack -Intrusion Set Q

+ APT33 - G0064 Q

Intrusion Set Q


+ APT33 - G0064 Q

Threat Actor Q

+ APT33 Q

+ MAGNALLIUM Q

🔍 🗨



**THE VARIOUS WAYS OF ENCODING  
ANALYST KNOWLEDGE TO AUTOMATI-  
CALLY LEVERAGE OUR TI**



- Providing advanced ways of querying data
  - ▶ Unified export APIs
  - ▶ Incorporating all contextualisation options into **API filters**
  - ▶ Allowing for an **on-demand** way of **excluding potential false positives**
  - ▶ Allowing users to easily **build their own** export modules feed their various tools

## EXAMPLE QUERY

```
/attributes/restSearch
```

```
{  
  "returnFormat": "netfilter",  
  "enforceWarninglist": 1,  
  "tags": {  
    "NOT": [  
      "tlp:white",  
      "type:OSINT"  
    ],  
    "OR": [  
      "misp-galaxy:threat-actor=\"Sofacy\"",  
      "misp-galaxy:sector=\"Chemical\""  
    ],  
  }  
}
```

## EXAMPLE QUERY TO GENERATE ATT&CK HEATMAPS

```
/events/restSearch
{
  "returnFormat": "attack",
  "tags": [
    "misp-galaxy:sector=\"Chemical\""
  ],
  "timestamp": "365d"
}
```

# A SAMPLE RESULT FOR THE ABOVE QUERY

Initial access	Execution	Persistence	Privilege escalation	Defense evasion	Credential access	Discovery	Lateral movement	Collection	Exfiltration	Command and control
Spearphishing Attachment	Scripting	Screen saver	File System Permissions Weakness	Process Hollowing	Secured Memory	Password Policy Discovery	AppleScript	Data from Information Repositories	Exfiltration Over Alternative Protocol	Standard Application Layer Protocol
Spearphishing via Service	Command-Line Interface	Login Item	AppCert DLLs	Code Signing	Input Capture	System Network Configuration Discovery	Distributed Component Object Model	Data from Removable Media	Exfiltration Over Command and Control Channel	Communication Through Removable Media
Trusted Relationship	User Execution	Trap	Application Shimming	Rookit	Bash History	Process Discovery	Pass the Hash	Man in the Browser	Data Compressed	Custom Command and Control Protocol
Replication Through Removable Media	Regsvcs/Regasm	System Firmware	Scheduled Task	NTFS File Attributes	Exploitation for Credential Access	Network Share Discovery	Exploitation of Remote Services	Data Staged	Automated Exfiltration	Multi-Stage Channels
Exploit Public Facing Application	Trusted Developer Utilities	Registry Run Keys / Start Folder	Startup Items	Exploitation for Defense Evasion	Private Keys	Peripheral Device Discovery	Remote Desktop Protocol	Screen Capture	Scheduled Transfer	Remote Access Tools
Spearphishing Link	Windows Management Instrumentation	LC_LOAD_DYLIB Addition	New Service	Network Share Connection Removal	Brute Force	Account Discovery	Pass the Ticket	Email Collection	Data Encrypted	Uncommonly Used Port
Valid Accounts	Service Execution	LSASS Driver	Sudo Caching	Process Doppelganging	Password Filter DLL	System Information Discovery	Windows Remote Management	Clipboard Data	Exfiltration Over Other Network Medium	Multi-layer Encryption
Supply Chain Compromise	CMSTP	Rc common	Process Injection	Disabling Security Tools	Two-Factor Authentication Interception	System Network Connections Discovery	Windows Admin Shares	Video Capture	Exfiltration Over Physical Medium	Domain Fronting
Drive-by Compromise	Control Panel Items	Authentication Package	Bypass User Account Control	Timestamp	LLMNR/NBT-NS Poisoning	Network Service Scanning	Remote Services	Audio Capture	Data Transfer Size Limits	Data Obfuscation
Hardware Additions	Dynamic Data Exchange	Component Firmware	Extra Window Memory Injection	Modify Registry	Credentials in Files	File and Directory Discovery	Taint Shared Content	Data from Network Shared Drive		Connection Proxy
	Source	Windows Management Instrumentation Event Subscription	Setuid and Setgid	Indicator Removal from Tools	Forced Authentication	Security Software Discovery	Application Deployment Software	Data from Local System		Commonly Used Port
	Space after Filename	Change Default File	Launch Daemon	Hidden Window	Keychain	System Service Discovery	Third-party Software	Automated Collection		Data Encoding

- We were still missing a way to use all of these systems in combination to decay indicators
- Move the decision making **from complex filter options to complex decay models**
- The idea is to **not modify our data**, but to provide an overlay to make **decisions on the fly**
- Decay models would take into account various available **context**
  - ▶ Taxonomies
  - ▶ Sightings
  - ▶ type of each indicator
  - ▶ Creation date
  - ▶ ...

# IMPLEMENTATION IN MISP: Event/view

The screenshot displays the MISP interface for viewing an event. At the top, there are navigation tabs: 'Photos', 'Galaxy', 'Event graph', 'Correlation graph', 'ATTACK matrix', 'Attributes', and 'Discussion'. Below this, a search bar contains the text '45: Decay...'. A 'Galaxies' section is visible with a search icon and a plus sign. Below that, there are navigation buttons: '< previous', 'next >', and 'View all'. The main content area features a toolbar with 'Scope toggle', 'Deleted', 'Decay score', 'Context', 'Related Tags', and 'Filtering tool (1)'. A search bar is also present on the right. The main table lists events with columns for Date, Org, Category, Type, Value, Tags, Galaxies, Comment, Correlate, Related Events, Feed hits, IDS, Distribution, Sightings, Activity, Score, and Actions. The 'Decay score' column shows a toggle button and a score value for each event. The 'Score' column shows the calculated score for each event.

Date	Org	Category	Type	Value	Tags	Galaxies	Comment	Correlate	Related Events	Feed hits	IDS	Distribution	Sightings	Activity	Score	Actions
2019-09-12		Network activity	ip-src	5.5.5.5								Inherit	(0/0)		NIDS Simple Decaying ... 65.26 Model 5 79.88	
2019-08-13		Network activity	ip-src	8.8.8.8	admiralty-scale:source-reliability="A" x retention:expired x				1 2 2 2 Show S1.1 S1.2 11 more...			Inherit	(5/0)		NIDS Simple Decaying ... 54.6 Model 5 52.69	
2019-08-13		Network activity	ip-src	9.9.9.9	admiralty-scale:source-reliability="C" x misp:confidence-level="completely-confident" x Ipnumber				1 3 1 9 Show S1.1 28 more...			Inherit	(4/1)		NIDS Simple Decaying ... 37.43 Model 5 0	
2019-08-13		Network activity	ip-src	7.7.7.7	admiralty-scale:information-credibility="4" x retention:2U x				41			Inherit	(3/0)		NIDS Simple Decaying ... 37.41 Model 5 0	
2019-07-18		Network activity	ip-src	6.6.6.6					41			Inherit	(0/0)		NIDS Simple Decaying ... 23.31 Model 5 0	

## ■ Decay score toggle button

- ▶ Shows Score for each Models associated to the Attribute type

# IMPLEMENTATION IN MISP: FINE TUNING TOOL

**Decaying Of Indicator Fine Tuning Tool**

Attribute Type | Category | Model ID

Attribute Type	Category	Model ID
aba-rtn	Financial fraud	
authen@hash	Payload delivery	
bank-account-iv	Financial fraud	
bc	Financial fraud	
bin	Financial fraud	
bro	Network activity	10 11
bc	Financial fraud	11
cc-number	Financial fraud	
cdhash	Payload delivery	
community-id	Network activity	
domain	Network activity	
domainip	Network activity	10 94
email-attachment	Payload delivery	
email-dst	Network activity	11
email-enc	Payload delivery	
headers	Payload delivery	
headers/authen@hash	Payload delivery	
headers/iphuzzy	Payload delivery	
headers/iphash	Payload delivery	
headers/ipfuzzy	Payload delivery	
headers/iphash	Payload delivery	
headers/mal	Payload delivery	13
headers/pehash	Payload delivery	13
headers/sh1	Payload delivery	13

Polynomial

Score

Days

Lifetime: 3 days

Decay speed: 2.3

Cutoff threshold: 30

Expire after (lifetime): 1 days and 7 hours

Score halved after (Half-life): 0 day and 6 hours


Adjust base score | Simulate this model

Phishing model | Simple model to rapidly decay

Parameters										
ID	Model Name	Org ID	Description	Formula	Lifetime	Decay speed	Threshold	Default basescore	Basescore config	#
29	Phishing model	1	Simple model to rapidly decay phishing website	Polynomial	3	2.3	30	80	estimate-language phishing	9

Create, modify, visualise, perform mapping


# IMPLEMENTATION IN MISP: SIMULATION TOOL



Simulate *Attributes* with different *Models*




# MONITOR TRENDS OUTSIDE OF MISP (EXAMPLE: DASHBOARD)



# A SMALL DETOUR - COVID-19 MISP

- Using the new **built in dashboarding** system of MISP
- **Customising MISP** for a specific use-case
- We are focusing on four areas of sharing:
  - ▶ **Medical** information
  - ▶ **Cyber threats** related to / abusing COVID-19
  - ▶ COVID-19 related **disinformation**
  - ▶ **Geo-political** events related to COVID-19
- Low barrier of entry, aiming for wide spread
- Already a **massive community**
- Register at <https://covid-19.iglocska.eu>

# DASHBOARDING AND SITUATIONAL AWARENESS



Create, modify, visualise, perform mapping

- Massive rise in **user capabilities**
- Growing need for truly **actionable threat intel**
- Lessons learned:
  - ▶ **Context is king** - Enables better decision making
  - ▶ **Intelligence and situational awareness** are natural by-products of context
  - ▶ Don't lock users into your **workflows**, build tools that enable theirs

## ■ Contact CIRCL

- ▶ [info@circl.lu](mailto:info@circl.lu)
- ▶ [https://twitter.com/circl\\_lu](https://twitter.com/circl_lu)
- ▶ <https://www.circl.lu/>

## ■ Contact MISPProject

- ▶ <https://github.com/MISP>
- ▶ <https://gitter.im/MISP/MISP>
- ▶ <https://twitter.com/MISPProject>

## ■ Join the COVID-19 MISP community

- ▶ <https://covid-19.iglocska.eu>